



"natural language input" and [identify or discover or determine] and semantic an

Search

 [Advanced Search](#)

## Preferences

Web [Show options...](#) Results 1 - 10 of about 204 for "natural language input" and [identify or discover or determine] and semantic and (render or display). (0.30 seconds)

## 1. [PDF] FEASIBILITY STUDIES FOR PROGRAMMING IN NATURAL LANGUAGE

File Format: PDF/Adobe Acrobat - View as HTML

Although the **natural language input** is ideally unconstrained, the **semantic model** we are mapping into is well-constrained. ...

web.media.mit.edu/~lieber/.../Feasibility-Nat-Lang-Prog.pdf - Similar

by H. LIEBERMAN - Cited by 7 - Related articles - All 13 versions

## 2. BROWSING KNOWLEDGE ON THE BASIS OF SEMANTIC RELATIONS - Patent

Accordingly, the natural language engine 290 can **determine** the meaning of ..., the tuple extraction component 252 processes **natural language input** ... Thus, for example, opaque data can include data that can cause the UI **display** 295 to **render** ... the **semantic** interpretation component 245 may **identify** a grammatical ...

[www.faq5.org/patents/app/20090070322](http://www.faq5.org/patents/app/20090070322) · Cached · Similar

### 3. ADAPTIVE SEMANTIC PLATFORM ARCHITECTURE - Patent Application WO ...

In the example above, the date format used can **identify** a user preference with respect to dates and thereafter **determine** what region of the query is ...

[www.freepatentsonline.com/WO2007100519.html](http://www.freepatentsonline.com/WO2007100519.html) - Similar

## 4. Natural Language Processing [CiteSeer; NEC Research Institute ...

of giving a **semantics** to natural language spatial expressions e.g. br region rather a ..... 3412.9 Web Mining: Information and Pattern **Discovery** on the World Wide Web ..... br Theory the capturing of **natural-language input** to a degree sufficient ... In this paper, we **identify** two new complementary properties on the ...

[cileseer.isi.ucsb.edu/ArtificialIntelligence/.../hubs.html](http://cileseer.isi.ucsb.edu/ArtificialIntelligence/.../hubs.html) - Cactred - Similar

## 5. BROWSING KNOWLEDGE ON THE BASIS OF SEMANTIC RELATIONS - US 20090070322

[0005] Suppose, for example, that the user desired to **discover** which ..... opaque data can include data that can cause the UI **display** 295 to **render** text that ...

[www.patents.com/BROWSING...ON...SEMANTIC.../en-US/](http://www.patents.com/BROWSING...ON...SEMANTIC.../en-US/) - [Cached](#) - [Similar](#)

6. [PDF] [Extensible MultiModal Environment Toolkit \(EMMET\): A Toolkit for ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**display** results which consist of combinations of language, maps, and graphics. In the CUBRICON architecture (Figure 2.2), **natural language input** is acquired ...

[cs.nyu.edu/web/Research/Theses/robbins\\_christopher.pdf](http://cs.nyu.edu/web/Research/Theses/robbins_christopher.pdf) - [Similar](#)

by CA Robbins - 2005 - [Related articles](#) - [All 7 versions](#)

7. [AllTopics / BrokenLinks22jul08](#)

Although **identity** theft began a slow decline in 2002, one recent study .... The goal is to **render** that entourage of technology more helpful and less annoying. .... Also see Daniel Bobrow's 1964 Doctoral Thesis: **Natural Language Input** for ... of **semantic** networks, probabilistic graphical models, and story scripts. ...

[www.aaai.org/atopics/pmwiki/pmwiki.php/.../BrokenLinks22jul08](http://www.aaai.org/atopics/pmwiki/pmwiki.php/.../BrokenLinks22jul08) - [Similar](#)

8. [Research Alfred Kobsa](#)

The XTRA access system to expert systems aims at **rendering** the ... system from his/her **natural-language input**, answers user queries as to terminology, .... Collaborative versus Individual **Discovery** in Data Visualization Systems. .... Principles of **Semantic** Networks: Explorations in the Representation of Knowledge. ...

[www.isr.uci.edu/~kobsa/kobsa-researchframe.htm](http://www.isr.uci.edu/~kobsa/kobsa-researchframe.htm) - [Similar](#)

9. [PDF] [/tardir/tiffs/a414964.tiff](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(a) User with 6DOF trackers on see-through, head-worn **display**, upper arm, lower arm, .... based gestures), spoken **natural language input**, and **semantic** fusion of ... processing needed to **determine** candidate referents for manipulation; it ... We **render** real objects in black. (Java3D does not support selectively ...

[handle.dtic.mil/100.2/ADA414964](http://handle.dtic.mil/100.2/ADA414964) - [Similar](#)

by PR Cohen - 2003 - [Related articles](#)

10. [poc] [Feasibility Studies for Programming in Natural Language](#)

File Format: Microsoft Word - [View as HTML](#)

Pane and Myers then analyzed the descriptions to **discover** what .... Although the **natural language input** is ideally unconstrained, the **semantic** model we are ...

[pubs.media.mit.edu/pubs/papers/Prog-Nat-Lang7.doc](http://pubs.media.mit.edu/pubs/papers/Prog-Nat-Lang7.doc) - [Similar](#)

by H Lieberman - [Cited by 7](#) - [Related articles](#) - [All 13 versions](#)

Google

1 2 3 4 5 6 7 8 9 10 Next

"natural language input" and [identify or discover or determine] and semantic and

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)